

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

**Amendments to the Claims:**


This listing of claims will replace all prior versions and listings, of claims in the application:

**Listing of Claims:**

1-13. **(CANCELLED)**

14. **(Currently Amended)** A process for the preparation of an ~~alkoxysilyl silane or a siloxane oligomer~~ substituted with at least one polymerizable functional group selected from epoxy, vinyl ether, 1-propenyl ether, acrylate and methacrylate, said process comprising:

- a. selectively reacting at least one compound of formula I



with at least one compound chosen from **A** or **B**, to form at least one monohydrosilane or monohydrosiloxane; and

- b. reacting said at least one monohydrosilane or monohydrosiloxane with at least one compound chosen from **A** and **B**, to form an alkoxysilyl silane or siloxane, with the proviso that when **A** is used in step (a), **B** is used in step (b), and when **B** is used in step (a), **A** is used in step (b); and
- c. in the presence of an ion exchange resin, reacting 0.5 to 2.5 equivalents water with said alkoxysilyl silane or siloxane; and
- d. separating the ion exchange resin from a product of the reaction;

wherein

**A** is a compound containing at least one vinyl or allyl group and at least one group selected from epoxy, vinyl ether, 1-propenyl ether, acrylate and methacrylate,

**B** is a compound containing at least one vinyl or allyl group and at least one dialkoxysilyl or trialkoxysilyl group;

$R^1$  -  $R^4$  are independently hydrogen, alkyl, haloalkyl, arylalkyl, aryl or heterocyclic; and

$n$  is 0 or an integer from 1 to 100.

15. **(Original)** A process according to claim 14, additionally comprising reacting in step (c), at least one alkoxysilane selected from alkoxysilanes of formula  $SiR^6R^8R^9R^{10}$  and formula  $SiR^8R^9R^{10}FG$ ;

wherein

$R^6$ ,  $R^8$ ,  $R^9$ , and  $R^{10}$  is, independently, alkyl, aryl, arylalkyl, chloroalkyl, fluoroalkyl, heteroalkyl, heteroaryl, alkoxy, arylalkoxy, chloroalkoxy, or fluoroalkoxy of 1 to 10 carbons;


$m$  is 0 or an integer from 1 to 3; and

$FG$  is a linear, branched or cyclic alkyl or alkyl ether residue of 1-20 carbon atoms, or 1-20 carbon atoms and 1-9 oxygen atoms, substituted with at least one group selected from epoxy, vinyl ether, 1-propenyl ether, acrylate and methacrylate.


16. **(Original)** A process according to claim 15, wherein said at least one alkoxysilane is an alkoxysilane of formula  $SiR^6R^8R^9R^{10}$ .

17. **(Original)** A process according to claim 14, wherein **A** is used in step (a), and **B** is used in step (b).

18. **(Original)** A process according to claim 14, wherein **A** is selected from:



19. **(Original)** A process according to claim 14, wherein **B** is an alkoxy silane of formula II




II

wherein

$\text{R}^7$  is a direct bond or a divalent aryl or alkyl residue; and

$\text{R}^8$ ,  $\text{R}^9$ , and  $\text{R}^{10}$  are independently alkyl, aryl, arylalkyl, chloroalkyl, fluoroalkyl, heteroalkyl, heteroaryl, alkoxy, arylalkoxy, chloroalkoxy, or fluoroalkoxy.

20. **(Original)** A process according to claim 19, wherein **B** is selected from:



21. **(Original)** A process according to claim 14, wherein **A** is 3-vinyl-7-oxabicyclo[4.1.0]heptane.
22. **(Original)** A process according to claim 14, wherein **B** is vinyltrimethoxysilane.
23. **(Original)** A process according to claim 14, wherein  $R^1 - R^4$  is methyl and  $n$  is 1-3.
24. **(Original)** A process according to claim 14, wherein **I** is 1,1,3,3-tetramethyldisiloxane.
25. A process according to claim 14, wherein **I** is 1,1,3,3,5,5-hexamethyltrisiloxane.
26. **(Original)** A process according to claim 14, wherein **I** is 1,1,3,3,5,5,7,7-octamethyltetrasiloxane.
27. **(Original)** A process according to claim 14, wherein **I** is methylphenylsilane.
28. **(Withdrawn)** 1-[2-(3-(7-Oxabicyclo[4.1.0]heptyl)ethyl)-3-[2-trimethoxysilyl]ethyl]-1,1,3,3-tetramethyldisiloxane.

29. **(Withdrawn)** 1-[2-(3-(7-Oxabicyclo[4.1.0]heptyl)ethyl)-5-[2-trimethoxy-silylethyl]-1,1,3,3,5,5-hexamethyltrisiloxane.

30. **(Withdrawn)** 1-[2-(3-(7-Oxabicyclo[4.1.0]heptyl)ethyl)-7-[2-trimethoxysilylethyl]-1,1,3,3,5,5,7,7-octamethyltetrasiloxane.